

INDICE DE TAXA

- ABORTIPORUS** 11: 68, 95
 biennis 12: 81
 tropicalis 5: 58; 9: 86
- ABSIDIA** 11: 129
 corymbifera 12: 115; 14: 114
 ramosa 12: 115, 116; 14: 113
- ACETABULA** 4: 78
 vulgaris 4: 57
- ACHLYA** 17: 207
 conspicua 17: 207
 flagelata 17: 209, 210
 klebsiana 17: 209, 210
 orlon 17: 209, 210
 proliferoides 17: 208-210
- ACROSPERMUM** 8: 131
 candidum 8: 128
- ACROSTALAGHUS** 17: 101
 cinnebareus 11: 121
- ACTINONEMA** 8: 131
 rosae 8: 110
- AECIDIUM** 8: 131
 anisacanthi 16: 31
 cerebrum 8: 113
 deformans 8: 113
 giganteum 8: 113
 gossypii 8: 119, 123, 126
 harhnessii 8: 113
 mirabilis 19: 33
 solani 16: 30; 18: 173
- AGARICOCHAETE** 18: 13, 15
- AGARICUS** 4: 80; 7: 133; 8: 131;
12: 36; 19: 306, 307
- antillarum 6: 34, 36
 arvensis 3: 19; 6: 62; 12: 92;
13: 165; 14: 30; 18: 177, 229,
 248; 19: 86
 augustus 6: 62; 18: 121, 229,
 248; 19: 112, 117
 bambusigenus 6: 62
 beckleri 16: 44
 bisporus 6: 62; 9: 134; 13: 163,
 164 (fig.), 257, 258; 18: 13,
 17, 18, 177; 19: 76, 86, 208
 bitorquis 6: 62; 18: 230, 249;
19: 208, 209
 brunnescens 18: 13, 17, 18
 campestris 2: 35; 6: 62, 77; 7:
 133, 139, 143; 8: 73, 74, 79
 (fig.), 91 (fig.), 94, 104, 105;
9: 146; 12: 13; 13: 84, 95, 103,
 108, 109, 115, 117, 121, 122,
 124, 163; 17: 183, 185; 18: 229,
 248; 19: 78, 86, 131, 151, 162,
 165, 248, 249, 256, 288, 296,
 298, 299, 313, 366 (fig.)
 clypeolarius 5: 106; 6: 62, 72
 colubrinus 6: 62, 72
 cyanescens 6: 26
 dolichaulus 16: 44
 fimicola 6: 41
 foeniseclii 6: 23
 fuscifibrillosus 18: 230, 249
 hortensis 7: 52; 18: 18
 melleus 8: 113
 nivescens 18: 115, 121
 personatus 5: 106
 placomyces 6: 62; 12: 93; 13: 95,
 103, 113, 117; 14: 30; 18: 178,
 230, 249; 19: 131, 151, 288
 porphyreus 18: 178
 pratensis 6: 62; 9: 86
 procerus 6: 73
 rachodes 5: 106
 retrugis 6: 44
 risigalinus 18: 19
 semiovatus 6: 30

silvaticus 2: 30; 3: 19; 6: 62;
 9: 146; 12: 93; 13: 84, 95, 103,
 113, 117, 122, 125; 14: 30, 36;
 18: 60, 230, 249, 263 (fig.);
 19: 112, 117, 165
 silvicola 6: 62; 12: 93; 13: 84, 95, 103,
 113, 117, 122, 125; 14: 30; 18:
 60, 230, 249; 19: 86, 112, 117,
 165, 288, 296, 298, 299, 313
 sphinctrinus 6: 38
 subbalteatus 6: 43
 subperonatus 18: 178
 subrufescens 4: 31
 subrutilescens 6: 62
 variegatus 18: 178
 volvatus 7: 133, 138, 143; 18: 178
 xanthoderms 4: 51; 6: 62; 18: 178
 xuchilensis 6: 62; 9: 86
 yucatanensis 6: 62, 72; 9: 86
 AGROCYBE 4: 80; 7: 151; 9: 74; 17:
 90; 18: 166; 19: 166
 aegerita 6: 62; 19: 165
 amara 6: 62
 chrysocistidiata 18: 115, 122,
 129 (fig.)
 dura 6: 62; 18: 123; 19: 87
 fimicola 4: 30; 6: 62; 18: 122,
 129 (fig.)
 firma 18: 123
 manihotis 8: 101
 pedlades 7: 151, 154-159
 praecox 4: 30; 6: 62
 retigera 6: 63; 8: 73, 75, 83 (fig.),
 95 (fig.), 101, 105; 13: 96, 102,
 115, 124
 semiorbicularis 2: 69, 73, 75, 76,
 86; 19: 87
 xuchilensis 6: 63, 74; 9: 86
 ALBATRELLUS 11: 79
 cristatus 12: 81
 ALECTORIA
 mexicana 13: 159
 ALEURIA 4: 78
 aurantia 12: 77; 18: 104, 224, 236;
 19: 110, 163
 rhenana 18: 104, 224, 236; 19: 110

ALEURODISCUS

acerinus 4: 63
 amorphus 4: 63
 bertini 4: 63
 botyosus 4: 63
 candidus 4: 63; 15: 10
 griseocanis 4: 63; 9: 86

LLOMYCES 17: 207, 209

anomalous 17: 207
 arbuscula 17: 207, 208
 javanicus 17: 207, 208
 moniliformis 17: 207
 neomoniliformis 17: 209

ALNICOLA 4: 80

ALTERNARIA 7: 44, 45 (fig.), 46-50,
 52; 8: 120, 123, 131; 9: 105-
 107, 111, 115-126, 128, 129;
 11: 121, 128; 12: 126, 128, 129;
 13: 216, 218-220; 17: 33, 35,
 36 (fig.), 38 (fig.), 41, 105
 citri 9: 17-19, 21, 24, 26, 29,
 30
 fasciculata 8: 120, 123
 humicola 15: 6
 mali 8: 121
 saphophilus 7: 52
 solani 6: 95, 96; 8: 116, 119,
 120, 130
 tenuis 2: 13; 7: 52; 8: 121
 xylophilus 7: 52

ALVEOLARIA

cordiae 19: 173, 174, 175, 178 (fig.)
 AMANITA 4: 42, 79; 7: 139, 143; 9:
 73, 100, 132, 133; 10: 23; 13:
 78, 114, 125; 14: 27, 28, 36;
 16: 141; 17: 114, 115, 117, 116,
 120; 18: 229; 19: 77, 93, 94,
 149, 265, 266
 alba 19: 95
 alexandrii 13: 83; 17: 121; 18:
 246; 19: 287
 ampla 18: 246
 annulatovaginata 12: 89; 14: 30,
 35
 argentea 19: 95, 97

aspera 17: 120, 121, 123, 128 (fig.)
 var. francheti 17: 120-122, 128
 (fig.)
 bisporigera 4: 31, 49, 50; 6: 63;
 10: 23, 25, 26; 12: 89; 13: 83;
 14: 30, 36; 17: 123, 130, 159,
 187-191; 19: 118, 139, 276, 291,
 292, 310
 brunnescens 4: 50; 6: 63; 12: 89;
 13: 83, 95, 103, 113, 117, 122;
 14: 30; 17: 158-160, 161 (fig.),
 162, 163, 164 (fig.); 18: 248;
 19: 289
 caesarea 2: 27, 29, 31, 35; 3: 19;
 6: 63; 9: 146; 12: 89; 13: 83, 95,
 103, 108, 117, 121, 122; 14: 30,
 36; 16: 141, 142, 146 (fig.); 17:
 120, 124, 159, 183; 18: 54, 55,
 57, 60, 72, 74, 177, 229, 247;
 19: 98, 109, 112, 117, 118, 131,
 162, 164, 256, 279, 287, 296, 298,
 299, 306, 312, 313, 362 (fig.),
 377 (fig.)
 var. americana 16: 141, 142, 147,
 148 (fig.); 17: 121; 18: 60; 19:
 95
 var. caesarea 19: 95
 calyptrata 16: 143; 19: 98
 calyptratoides 6: 63; 16: 141,
 143-145, 148, 149 (fig.); 17:
 121; 19: 95, 97, 255, 256, 260,
 262
 calyptroderma 2: 31, 34; 6: 63;
 16: 143-145; 17: 120, 122, 123
 (fig.), 124, 129 (fig.); 19: 95,
 98
 chlorinosma 4: 50; 6: 63; 12: 89;
 13: 103, 113, 117, 121, 122; 14:
 30, 36; 18: 60, 177, 229, 247;
 19: 131, 136, 137, 154 (fig.)
 cinereocoea 12: 89; 14: 30; 18:
 229, 247
 citrina 17: 121, 158, 159; 18: 60
 cokeri 12: 89; 13: 83; 14: 30, 36;
 18: 177, 229, 247; 19: 164, 287,
 291, 296-298, 300, 303-305, 307,
 376 (fig.)
 coturnata 18: 177
 crocea 12: 89; 13: 95, 103, 113,
 117, 122; 14: 30; 18: 229, 247;
 19: 96, 164, 296, 298, 299
 echinocephala 4: 50; 6: 63
 elliae 17: 120, 123 (fig.), 124,
 125, 129 (fig.); 19: 97

farinosa 19: 99
 var. mexicana 19: 93, 94, 96, 98,
 99, 104 (fig.)
 flavoconia 4: 50; 6: 63; 7: 133,
 140; 12: 89; 13: 95, 104, 113,
 117; 14: 31; 17: 121; 18: 72, 74,
 177, 229, 247; 19: 85, 131, 164,
 291, 296, 298, 302, 306, 376 (fig.)
 flavorubens 12: 90; 13: 95, 104,
 113, 117; 14: 31; 18: 229, 247;
 19: 287
 flavorubescens 19: 164
 fulva 6: 63; 12: 90; 13: 95, 104,
 117, 122, 231; 14: 31, 36; 18:
 177, 229, 247; 19: 96, 112, 117,
 123 (fig.), 131, 164
 gemmata 3: 19; 4: 50; 6: 63; 7:
 133, 141; 12: 90; 13: 83, 95, 104,
 112 (fig.), 117, 122; 14: 31, 36,
 37; 18: 60, 72, 74, 77, 229, 247,
 263 (fig.); 19: 77, 85, 101, 102,
 112, 117, 164, 267, 287, 296, 299,
 300, 303, 307
 f. gemmata 19: 97
 f. gracilis 19: 97, 279
 guzmanii 19: 93, 94, 96, 100, 101,
 104 (fig.), 360 (fig.)
 inaurata 4: 31; 6: 63; 12: 90; 14:
 31; 18: 72, 74; 19: 95, 113, 117,
 287
 komarekensis 19: 101
 leptotoides 19: 267, 268
 f. valens 19: 267, 268
 magnivolaris 4: 50; 6: 63; 12: 90;
 13: 83; 14: 31, 36; 18: 229, 247;
 19: 139, 164, 166, 287, 365 (fig.)
 meirel 19: 97
 mexicana 6: 63, 82; 17: 119
 muscaria 4: 50; 6: 63; 9: 132, 135;
 13: 83, 95, 106, 108, 111 (fig.),
 118, 121, 122, 231; 17: 114, 115,
 117-119, 186; 18: 177, 219; 19:
 77, 85, 287, 298, 300, 303-305
 ssp. americana 12: 90; 14: 31, 36
 ssp. flavivolvata 6: 63; 9: 146;
 12: 90; 14: 31, 36; 18: 229, 247,
 263 (fig.); 19: 97, 113, 117, 118,
 122 (fig.), 131, 149, 150, 164,
 287, 296, 298, 305 (fig.), 307
 ssp. muscaria 18: 229, 247
 var. flavivolvata 17: 119; 18: 60;
 19: 97
 var. formosa 19: 97
 var. muscaria 19: 97

nauseosa 12: 90; 13: 90, 95, 101, 108, 114, 115, 125; 14: 31, 35
 ocreata 19: 310
 onusta 12: 90; 13: 95, 104, 118, 122; 14: 31
 pantherina 4: 50; 6: 63; 2: 132; 12: 90; 13: 83, 95, 104, 118, 121, 122, 231; 14: 31, 36, 37; 18: 229, 248; 19: 77, 85, 102, 113, 117, 131, 137, 138, 155 (fig.), 287, 305, 320, 324
 var. multsquamosa 19: 97
 var. pantherina 19: 97
 var. pantherioides 19: 97
 var. relatiipes 19: 93, 94, 97, 101
 peckiana 19: 265, 266, 267, 272 (fig.)
 pellona 17: 120, 125, 126
 phalloides 10: 25; 17: 114, 115, 119, 130, 131, 140-143, 144 (fig.), 145 (fig.); 187-191, 193 (fig.), 194 (fig.); 19: 275, 276-279, 281, 291, 307, 310, 372 (fig.), 373, 374 (fig.)
 polypyraxis 19: 265, 266, 269, 273 (fig.)
 ponderosa 18: 177; 19: 113, 117, 265, 267, 287
 porphyria 17: 121, 158-160, 161 (fig.), 162, 163 (fig.), 164
 praegraveolans 12: 90; 13: 90, 95, 100, 114, 115, 122, 124, 125; 14: 31, 35
 ravenelii 13: 83; 18: 229, 248; 19: 86, 131, 138, 139, 154 (fig.), 155 (fig.)
 rubescens 2: 34; 4: 31; 6: 63; 7: 133, 140; 12: 90; 13: 83, 95, 104, 118, 122; 14: 31, 36; 17: 120, 122, 183; 18: 57, 60, 72, 74, 177, 229, 248; 19: 76, 86, 109, 113, 117, 118, 131, 164, 230, 287, 362 (fig.)
 salmonea 12: 90; 14: 31; 18: 229, 248
 solitaria 6: 64; 13: 83; 18: 60, 177, 229, 248; 19: 270
 spissa 18: 229, 248
 spreata 17: 120, 123 (fig.), 126, 129 (fig.); 19: 95, 98, 267
 straminea 19: 265, 266, 269, 273 (fig.)
 strobiliformis 4: 50; 6: 64; 12: 90; 14: 31
 suballacea 19: 310
 tenuifolia 19: 310
 tephrea 19: 137
 tuza 12: 90; 13: 95, 104, 118, 122; 14: 31, 37; 16: 144, 145; 17: 124; 18: 229, 248; 19: 95, 287, 291, 296, 298
 umbrinella 19: 93, 94, 96, 102, 104 (fig.), 361 (fig.)
 umbrinolutea 12: 90; 14: 31; 19: 96
 vaginata 6: 64; 9: 146; 12: 90; 13: 83, 95, 104, 108, 118, 122, 231; 14: 31, 35, 36, 37; 17: 120; 18: 57, 60, 229, 248; 19: 95-98, 109, 113, 117, 118, 164, 268, 279, 288, 296, 298, 299, 312, 377
 var. fulva 17: 125
 var. livida 6: 64
 var. nivalis 19: 96
 valens 19: 265, 266, 267, 272 (fig.)
 velosa 19: 93, 94, 96, 103
 verna 4: 31, 43, 50; 6: 64; 10: 23, 25, 26; 12: 91; 13: 83, 231, 14; 31; 17: 120, 130-132, 133 (fig.), 134, 135, 136 (fig.), 137, 188; 18: 60, 229, 248; 19: 131, 139, 164, 166, 276, 288, 291, 292, 310
 virosa 4: 50; 6: 64; 10: 23, 24 (fig.); 25, 26; 12: 91; 14: 31; 17: 121, 130, 131, 187-191, 193 (fig.); 18: 177, 229, 248; 19: 77, 86, 118, 139, 276, 291, 310
 vittadinii 19: 265, 266, 270, 273 (fig.)
 volvata 19: 265, 266, 268, 272 (fig.)
 AMANITOPSIS
 volvata 19: 268
 AMAURODERMA 4: 79; 11: 38, 41, 43, 44, 50, 97, 98
 camerarius 13: 155
 rude 11: 50
 sprucei 11: 50
 AMPELOMYCES
 quisqualis 4: 41
 ANAPTYPCHIA 5: 79
 echinata 13: 159
 leucomelaena 12: 98; 13: 159
 setifera 17: 175, 179

ANELLARIA 4: 80; 6: 21, 22, 30, 32, 51, 52
 semiovata 6: 18, 30, 64, 75; 18: 60
 sepulchralis 4: 30, 51; 6: 18, 34, 36, 64, 75; 13: 96

ANTHOSTOMA
 canostoma 18: 30

ANTHRACOIDEA
 americana 13: 67
 verrucosa 13: 67

ANTHRACOPHYLLUM 4: 41

ANTHURUS 14: 39, 40, 44, 45 (fig.); 16: 110

archeri 14: 44
 garciae 14: 44
 javanicus 14: 44

ANTHROCYPSIS 14: 17, 18, 23, 25
 brossonetae 14: 17, 18, 23, 24
 var. minor 14: 24
 smithii 14: 19, 20 (fig.), 21 (fig.), 23 (fig.), 24; 19: 343, 344, 347 (fig.)

APHANOMYCES
 keratinophilus 17: 209, 210
 laevis 17: 209, 210

APIOCREA 18: 75
 hyalina 18: 58, 71-74, 77 (fig.), 79, 80, 81 (fig.), 173, 185, 198, 215 (fig.); 19: 227, 230

APODACHLYA 17: 207
 punctata 17: 209, 210

APOSTEMIDIUM
 guernisaci 12: 76; 18: 107

ARACHNION
 album 7: 106; 18: 233, 258; 19: 132, 152
 flavidum 7: 121

ARACHNOPEZIZA 4: 78

ARCYRIA 4: 78; 13: 208; 16: 101, 103

cinerea 12: 100; 16: 99; 19: 116
 denudata 12: 100; 15: 202, 203, 207; 16: 99; 18: 57
 ferruginea 11: 174; 16: 99
 globosa 16: 99; 18: 153, 155, 156 (fig.)
 incarnata 13: 128, 129, 135 (fig.), 137 (fig.); 16: 99; 19: 248, 250
 insignis 16: 99
 leiocarpa 16: 99
 magna 12: 101; 13: 160; 16: 99
 nutans 12: 101; 16: 99
 stipitata 15: 207

ARMILLARIA 4: 79; 8: 131
 alphitophylla 6: 64, 75
 bulviger 6: 64
 mellea 8: 115
 zellei 13: 70

ARMILLARIELLA 4: 7
 mellea 2: 30; 6: 64, 77; 7: 133, 139, 141; 9: 86, 146; 12: 85; 13: 82, 94, 104, 113, 118, 121-123, 231; 18: 60; 19: 76, 77, 84, 131, 149, 162, 164, 166, 167, 232, 286
 polymyces 12: 85; 13: 94, 104, 113, 118, 121-123; 18: 174; 19: 111, 117, 162, 164, 167, 232, 286
 tabescens 12: 85; 18: 60; 19: 77, 84, 227, 232

ARNIUM
 ovale 18: 107

ARRHYTIDIA 4: 79
 involuta 4: 60; 7: 93; 2: 86

ARTHONIA
 epipasta 5: 107
 vulgaris 2: 107

ARTHROBOTRYX
 conoides 17: 99-101, 104-106, 107 (fig.)
 dactyloides 17: 99, 100, 104-106, 108
 oligospora 17: 99-101, 104, 105, 109, 110 (fig.)

ASCOBOLUS
 michaudii 17: 76, 77, 79, 80 (fig.), 87; 18: 104
 scatigenus 12: 77; 17: 76, 77, 79, 81, 82 (fig.), 87; 18: 104

ASCOCHYTA 8: 131
 lycopersici 6: 96; 8: 116
 pisi 8: 123, 127
 ASCOPHANUS
 carneus 17: 76, 77, 79, 81, 82 (fig.), 87
 ASCOTREMELLA 4: 78
 ASERDE 14: 39
 rubra 14: 40, 44, 45 (fig.); 16: 110
 ASPERGILLUS 2: 49; 5: 13, 47-49; 7: 44, 46, 48-50, 145; 8: 40, 115, 116, 131; 9: 108, 109, 126; 11: 111, 121, 128-130, 141; 12: 118; 13: 7, 196, 216, 218-220; 14: 101, 103; 15: 5, 6; 17: 68, 96; 18: 42-44
 alliaceus 2: 21
 amstelodami 11: 129
 candidus 5: 48; 7: 146-149; 11: 129-132; 13: 197, 199; 17: 96; 18: 85-93
 carbonarius 8: 27, 29, 31 (fig.), 46, 47; 9: 19, 21, 23 (fig.), 25, 26, 29, 30
 chevalieri 11: 129
 clavatus 15: 6
 echinulatus 11: 129
 flavipes 15: 6
 flavus 5: 48, 50-53; 7: 146; 8: 42; 9: 21; 11: 129-133; 13: 196, 244-247, 250; 18: 41-44, 85-93
 fumigatus 11: 112, 113, 140; 12: 219, 220; 18: 42
 giganteus 17: 55, 56, 59, 66
 glaucus 5: 48, 50-54; 7: 146-149; 9: 105-109, 111, 115-122, 124-126; 11: 129-131; 13: 197, 199, 201, 202, 219, 244; 17: 96
 grupo glaucus 7: 44, 46, 47
 halophilicus 11: 130
 niger 5: 51, 53; 7: 44, 46-48; 9: 21; 11: 121; 15: 5-7
 ochraceus 2: 146; 11: 129-131, 133; 13: 199; 15: 5-7
 oryzae 18: 33, 34, 37, 39
 parasiticus 8: 27, 29, 31 (fig.), 46, 47; 18: 85-93
 raperi 15: 6
 repens 11: 129

restrictus 5: 48, 51; 7: 146; 11: 129-131; 13: 219
 ruber 11: 129
 tamaritii 5: 48, 52, 53; 7: 146-149; 9: 105-109; 15: 7; 17: 96
 terricola 7: 44, 46, 48
 tonophylus 15: 7
 versicolor 5: 53; 7: 146; 9: 118, 125; 11: 121, 129, 133; 15: 7
 ASPICILIA 3: 14
 ASPIDELLA
 straminea 19: 269
 ASPROINOCYBE 18: 13, 15
 ASTERINA 8: 131
 verae-crusis 8: 118
 ASTEROCHAETE 4: 79; 11: 54
 ASTEROCYSTIS 8: 120, 131
 radialis 8: 114, 121, 122, 124
 ASTEROPHORA 18: 76
 parasitica 6: 64; 18: 71, 73, 74, 79 (fig.), 81 (fig.), 82
 ASTEROSTROMA 15: 9, 10, 12
 cervicolor 15: 12, 13, 44, 45, 48, 49 (fig.)
 musciculum 13: 155; 15: 12, 13, 44, 45, 48, 49, 50 (fig.)
 ochroleucum 15: 13
 persimile 15: 13
 ASTRAEUS 4: 81; 9: 74; 19: 150
 hygrometricus 7: 106, 121; 9: 69, 70, 75, 76; 12: 98; 13: 88; 18: 234, 259; 19: 73, 90, 133, 152, 161, 166, 289
 pteridis 13: 71
 ATHELIA
 bombacina 13: 67
 ATTAMYCES
 bromatoficus 8: 49
 ATYLOSPORA
 mammillata 13: 262
 mexicana 6: 64, 77; 9: 86
 roystonlae 6: 64, 77; 9: 86

AURANTIPORELLUS
 alboluteus 13: 69

AURICULARIA 4: 79; 5: 34, 35; 7: 139; 8: 76; 12: 249
 auricula 7: 90, 121; 9: 86; 18: 174, 225, 227; 19: 247, 249
 delicata 4: 60; 5: 24, 25; 7: 90, 122, 131, 140; 8: 74, 75, 86 (fig.); 9: 86; 12: 78; 13: 78, 80, 92, 99 (fig.), 101, 108, 113, 115, 121-123; 18: 55, 58, 225, 227; 19: 247, 249
 doricularis 4: 60
 fuscococcinea 4: 61; 5: 24, 25; 7: 90; 8: 74, 76, 86 (fig.); 9: 86; 12: 79; 13: 91, 92, 103, 109, 114, 115, 118, 121-124, 212; 18: 174, 224, 227; 19: 209, 210
 lenta 4: 61; 7: 93
 lobata 7: 122
 mesenterica 4: 61; 7: 90, 122, 131, 140; 9: 86; 13: 79; 13: 92, 101, 115, 122, 123; 18: 224, 227; 19: 286
 polytrichia 4: 61; 7: 91, 122, 131, 139; 9: 86; 12: 79; 13: 80, 92, 101, 108, 115, 121-123; 16: 31; 18: 54, 55, 174, 224, 227; 19: 76, 81, 130, 151, 209, 210, 247, 249
 AURISCALPIUM 4: 79
 vulgare 4: 70; 13: 234; 18: 225, 238; 19: 111, 130, 151, 320, 322
 AUROPHORA
 dochmia 12: 77; 18: 105
 AUSTROBOLETUS 18: 13, 15
 AUSTROGASTER 18: 14
 AUREOBASIDIUM
 pullulans 5: 13, 17; 8: 18

BACILLARIA 6: 10

BADHAMIA 4: 77; 13: 208; 16: 103
 affinis 16: 99; 18: 153, 155, 158 (fig.), 163
 capsuligera 16: 99
 gracilis 16: 99
 macrocarpa 16: 84, 86 (fig.), 91 (fig.), 99
 obovata 16: 77, 84, 86 (fig.), 99
 panicea 16: 99
 papaveraceae 16: 199, 203, 212; 18: 99
 utricularis 16: 99

BAEODORHUS

eupatarii 16: 117, 118, 119, 120, 121, 124 (fig.)
 holwegi 12: 17, 18, 62 (fig.)

BAEOMYCES 3: 15; 5: 79, 103

absolutus 5: 79, 103
 f. subsessilis 5: 80, 103; 13: 159
 placophyllus 5: 80; 11: 160
 rosae 5: 80, 103; 12: 99; 12: 115

BAEOSPORA

myosura 18: 176; 19: 84
 myriadophylla 8: 64; 9: 86

BANKERA

fuligineo-alba 13: 234

BARBEYELLA

minutissima 18: 153, 155, 156 (fig.), 163; 19: 116

BASIDILOBOLUS

ranarum 14: 77

BATTARREA 4: 81; 7: 106, 141

diguetii 7: 106, 122
 franciscana 7: 106

stevenii 7: 106; 9: 86; 18: 234, 259; 19: 73, 78, 90

BATTARREASTRUM

diguetii 7: 106

BATTARREOIDES 4: 81; 19: 150

diguetii 2: 39; 7: 106, 122; 19: 78, 90, 126, 133, 152
 potosinus 2: 39, 44; 7: 106

- BELENIOSCYPHA**
sessilis 18: 184, 185, 210 (fig.), 211 (fig.)
- BERTRANDIELLA**
lanthina 6: 64, 72; 2: 86
- BIATORA**
ehrhartiana 5: 108
nubella 5: 108
sylvana 5: 108
- BIATORINA**
pineti 5: 110
- BIPOLARIS**
bicolor 15: 7
- BISPORELLA**
descendens 13: 152; 18: 106
- BITZEA** 8: 131
inga 8: 130; 19: 20
- BJERKANDERA** 4: 79; 11: 75
adusta 5: 58, 66; 2: 86; 13: 69, 93, 156
- BLASTENIA**
ferruginea 5: 109
- BLASTOCLADIA** 17: 209, 210
- BLUMENAVIA** 16: 112
angolensis 16: 112
rhacodes 16: 109-112, 115 (fig.)
- BOLBITIUS**
coprophilus 17: 78; 18: 178
jalapensis 6: 64, 74; 2: 87
mexicanus 6: 64, 74
vitellinus 6: 64; 18: 179; 19: 131, 151
- BOLETELLUS** 4: 20, 21, 42, 80; 15: 121, 122, 130, 131, 137
alveolatus 6: 64, 77
ananas 4: 22, 23 (fig.), 24; 6: 64; 12: 96; 13: 233; 14: 33, 35, 36; 15: 122, 126, 128, 131, 175 (fig.), 191 (fig.); 18: 180; 19: 87, 289
betula 13: 86; 18: 232, 255; 19: 289
chrysensteroides 15: 126, 128, 131, 132, 176 (fig.)
- jalapensis 6: 65
procytellus 18: 232, 255
retisporus 15: 137
russellii 12: 96; 13: 86, 233; 14: 33, 36; 15: 122, 126, 128, 131, 133, 176 (fig.), 193 (fig.); 18: 61, 232, 255; 19: 165
- BOLETINUS** 4: 42, 80; 8: 59; 15: 121, 122, 137, 138
deciplens 13: 232; 15: 122
lakei 15: 126, 128, 138, 164, 177 (fig.), 193 (fig.), 194 (fig.)
- BOLETOCHAETE** 18: 13, 15
- BOLETUS** 2: 43; 4: 43, 80; 8: 59; 13: 114, 125; 15: 121, 122, 138; 17: 117, 118, 183, 184; 18: 15, 16, 72, 74; 19: 77, 149
aereus 6: 65; 19: 144
aestivus 12: 95; 13: 85, 96, 104, 118, 122; 14: 32; 18: 232, 254; 19: 87, 132, 143, 144, 165, 239
appendiculatus 18: 61
var. regius 6: 65
atkinsomanus 19: 144
atkinsoni 19: 144
atkinsonianus 18: 180
aurantiacus 6: 65
barrowsii 18: 126, 127
brevipes 6: 65, 82
calopus 6: 65; 13: 232; 15: 122, 125, 126, 128, 129, 139, 140, 182 (fig.), 192 (fig.)
chrysensteron 6: 65
cyanescens 6: 65
eastwoodiae 18: 232, 254
edulis 2: 29; 3: 19; 6: 65; 12: 95; 13: 96, 104, 118, 121, 122, 165; 14: 32, 36, 37; 15: 126, 128, 139, 141, 147, 181 (fig.), 192 (fig.); 18: 61, 72, 74, 180, 232, 254; 19: 76, 87, 109, 114, 117, 118, 132, 143, 162, 165, 256, 259, 289, 296, 298, 299, 310, 315, 362 (fig.)
ssp. aereus 19: 144
ssp. cavipes 6: 65
ssp. pinicola 15: 147
ssp. reticulatus 19: 144
var. reticulatus 19: 144
erythropus 15: 126, 128, 140, 142, 183 (fig.); 18: 61, 232, 254
felleus 2: 27; 6: 65, 83
flammanus 15: 126, 128, 140, 143, 183 (fig.), 192 (fig.), 195 (fig.)

- frostii 6: 65; 15: 126, 128, 140, 141, 184 (fig.), 194 (fig.); 18: 232, 254
fumosiceps 15: 145
granulatus 6: 65
griseus 12: 95; 14: 32; 15: 126, 128, 139, 144, 181 (fig.)
indecisus 6: 65
luridus 6: 65; 15: 126, 128, 140, 145, 183 (fig.), 191 (fig.); 18: 232, 254; 19: 114, 117, 256, 257, 260, 262
miniato-olivaceus 13: 232; 122, 126, 128, 140, 146, 182 (fig.), 194 (fig.)
pallidus 15: 141
pinicola 6: 65; 9: 145; 12: 95; 13: 85, 96, 104, 118; 14: 32, 36, 37; 15: 126, 128, 139, 147, 181 (fig.), 183 (fig.); 17: 183; 18: 232, 254; 19: 114, 117, 118, 124 (fig.), 162, 165, 289
placidus 6: 65
porphyrosporus 6: 65
pulverulentus 6: 65
radicans 15: 126, 128, 139, 147, 182 (fig.), 192 (fig.)
regius 13: 232; 15: 122, 126, 128, 140, 148, 193 (fig.); 18: 127, 128, 180, 232, 254; 19: 132, 144, 156 (fig.), 165
reticulatus 6: 65; 18: 232, 254; 19: 144
rubellus 18: 61
ssp. fraternus 15: 126, 128, 140, 149, 183 (fig.), 194 (fig.)
satanas 9: 72, 146; 15: 130; 18: 232, 254
sepanus 19: 289
speciosus 15: 149
ssp. consobrinus 15: 150
ssp. dumentorum 15: 150
ssp. fraternus 15: 150
subtomentosus 6: 65; 18: 232, 254
var. subtomentosus 15: 171
subvelutipes 15: 142, 146; 18: 232, 254
turbinateus 6: 65, 68; 7: 109
vartipes 19: 144
- BONDARZEWIA** 13: 56, 57, 58; 18: 15, 16; 19: 231
berkeleyi 13: 55-57, 58 (fig.), 59 (fig.), 61, 62, 81; 18: 226, 239; 19: 227, 231, 239, 320, 322
- guatecasensis 13: 57; 18: 16
montana 13: 56, 57, 62
talpae 13: 57
- BOTRYOBASIDIUM**
annosum 13: 68
- BOTRYOSPHAERIA** 4: 41
foliorum 19: 193, 194, 196, 198 (fig.)
hyperborea 19: 196
picea 6: 6
quercuum 6: 6
rhododae 19: 196
vaccinii 19: 196
- BOTRYOTRICHUM** 11: 123, 124
- BOTRYTIS** 8: 126, 131; 13: 218
cinerea 8: 121-123
infestans 8: 111
- BOUDIERELLA** 6: 6
coronata 6: 6
- BOURDOTIA**
cinerea 4: 61; 7: 93; 9: 87
- BOVISTA** 2: 40; 4: 5, 16, 19, 81; 9: 74; 13: 150
brunnea 2: 106, 107, 136
dealbata 2: 107
depressa 2: 122
echinella 2: 107
fusca 2: 107, 122; 8: 54, 62; 13: 87, 97, 107, 108, 118, 125; 18: 233, 259; 19: 89
herrerae 2: 107
leucoderma 2: 106, 107, 135; 18: 233, 259
limosa 2: 107
longispora 4: 5, 14 (fig.), 15 (fig.), 16, 19; 7: 107
minor 2: 107; 18: 233, 259; 19: 89
pila 2: 107; 19: 89
plumbea 2: 107
pusilla 4: 5, 14-16, 19; 7: 107, 112; 18: 233, 259; 19: 89, 132, 152
ruizii 2: 144; 7: 107; 8: 54
- BOVISTELLA**
dealbata 2: 107
echinella 2: 107

BREVILEGNIA 17: 207, 208, 210
 declina 17: 207
 montana 17: 208, 210
 subclavata 17: 207, 208, 209

BRODHEIA 6: 55; 19: 221, 222, 229,
 238, 241 (fig.)
 congregata 19: 238
 var. argentinensis 6: 58
 ellipsozona 6: 65; 19: 238
 guadeloupensis 6: 58

BUCELLIA 5: 80, 83
 aethalea 5: 83
 argillicola 5: 83
 cinereofuscescens 5: 83
 disciformis 5: 83
 f. microspora 5: 83
 dispersa 5: 83
 inquilina 5: 83
 jajalpa 5: 83
 lepidastrae 5: 83
 mixococcensis 5: 83
 montevicensis 5: 83
 ocellata 5: 110
 pueblae 5: 83
 var. plana 5: 83
 punctiformis 5: 110
 spuria 5: 80
 squamosa 5: 83
 stellulata 5: 83
 tumida 5: 83
 violacea 5: 83
 zapotensis 5: 83

BULGARIA 4: 78
 mexicana 4: 57

CALICIUM

acachelum 5: 107
 adpersum 5: 107
 albo-atrum 5: 107
 corynellum 5: 107
 hyperallium 5: 107
 nigrum 5: 107
 ochrysocephalum 5: 107
 pulverariae 5: 107
 trichiale 5: 107
 versicaria 5: 107

CALLIANDRA 8: 131

bijuga 8: 129

CALLIOSPORA 8: 131

diphysae 8: 115

CALLISTODERMATUM 18: 13, 15

CALLOPISMA

cerinum 5: 110
 lutesalbum 5: 110
 rubillianum 5: 110

CALOCERA 4: 60, 79; 7: 94

coralloides 7: 94

cornea 7: 94, 94; 9: 87; 13: 212
 macrospora 7: 94; 13: 211, 212; 18:
 225, 227

viscosa 7: 89, 94, 95 (fig.), 96,
 97; 12: 79; 13: 211, 212; 19: 110

CALODON 4: 79

CALOMYXA 16: 103

metallica 11: 172; 16: 97

CALONECTRIA 8: 131

crema 8: 114

flavida 8: 115

CALONEMA 16: 103

luteolum 11: 175; 16: 98

CALOPLACA 5: 79, 83, 103

bolacina 5: 83

citrina 5: 83

var. erosa 5: 83

coralloides 5: 83

diphoclaephaea 5: 83

dissimilis 5: 83

elegans 5: 83

fernandezianum 5: 83

flavovirescens 5: 83

huana 5: 83

lobulata 5: 83

malmeana 5: 83

mexicana 5: 83

var. citrina 5: 83

aurorum 5: 83

pyraea 5: 83

rosulans 5: 83

CALOSTOMA 4: 81; 7: 99-101, 103, 108

berkeleyi 7: 99

cinnabarina 4: 31; 7: 99, 100, 102

(fig.), 103, 104, 108; 9: 87; 12:

97; 13: 87; 18: 62, 234, 260; 19:

229, 239

formosanum 7: 99

fusca 7: 99

insignis 7: 99

japonicum 7: 99

junghuhni 7: 99

lurida 7: 99

lutescens 7: 99, 101, 103, 104,

108; 12: 97

microsporum 7: 99

orluba 7: 99

pachystelis 7: 99

ravenelli 7: 99, 101, 103, 104,

135, 138, 141, 143

retisporum 7: 99

serasinii 7: 99

viridis 7: 99

CALVATIA 4: 81; 7: 107; 9: 74; 13:

150; 18: 55, 56, 62

bovista 7: 107; 18: 233, 258; 19:

166, 289

var. hungarica 7: 107; 18: 233,

258

caelata 7: 107

candida 4: 31; 7: 107, 111

craniformis 18: 233, 258

cyathiformis 7: 107, 108, 135,

141, 143; 8: 75, 83 (fig.), 95

(fig.), 103, 105; 9: 74; 13: 234;

18: 62, 233, 258; 19: 78, 133, 152

ssp. cyathiformis 8: 103

depressa 9: 69

fragilis 7: 108; 18: 233, 258

gigantea 4: 31; 7: 108, 111; 13:

217

iliacina 7: 108

occidentalis 19: 78

pachyderma 7: 108; 18: 233, 258

saccata 7: 108

rubro-flava 7: 135, 138, 140, 142,
 143

CALYCELLA

sulfurina 18: 184, 186, 211 (fig.)

CAMAROPHYLLUS 15: 74

CAMILLEA 6: 9

bomba 6: 9

globosa 6: 10

poculiformis 6: 10

sagraeana 6: 12

turbinata 6: 12, 14

CAMPANELLA 4: 79

aberrans 15: 78

aeruginea 15: 78

agaricina 15: 80

alba 15: 79

caeruleascens 12: 85

castanelpes 15: 79

heterobasidiata 15: 67, 68, 77, 79,

96, 97, 99, 104 (fig.)

merulina 15: 78-80

merulioidea 15: 80

tenitunicata 15: 79

CAMPANULARIUS

campanulatus 9: 94

CANDELARIA 5: 79

concolor 1: 15; 12: 99

fibrosa 12: 99

CANDELOSPORA

citri 9: 17

ANDIDA 8: 27, 33-35, 39, 43, 46,

47; 9: 7; 11: 115, 142; 12: 16;

16: 61, 62, 66; 17: 9-12

albicans 8: 12; 11: 140; 12: 119,

121, 124; 13: 13, 19-22, 33-35;

16: 61, 62, 64, 102; 12: 9, 10,

13, 22

boldini 12: 16, 17; 12: 22

guilliermondii 2: 13, 14; 12: 13

var. guilliermondii 9: 13, 15

krusei 8: 18, 39, 41; 9: 11

parapsilosis 7: 17, 25-27; 8: 18,

39; 9: 7, 10-12

var. tuxtliensis 7: 22, 24 (fig.),

25, 26; 8: 18; 9: 8 (fig.), 13, 15

pseudotropicalis 17: 13
 queretana 12: 13, 14, 15 (fig.),
16-18; 17: 17-22
 stalloidea 17: 9, 10, 13
 tropicalis 2: 7, 9 (fig.), 10-12;
17: 9, 10, 13
 utilis 11: 141

CANTHARELLUS 4: 43, 79; 13: 114; 19:
 204
 cibarius 4: 69; 12: 81; 13: 80,
 93, 104, 111 (fig.), 118, 121,
 122, 125, 233; 14: 29, 35, 58,
 59; 17: 182-184; 18: 59, 175,
 226, 239; 19: 76, 82, 109, 110,
 117, 118, 204, 256
 var. cantharellus 13: 202, 204
 ficosus 2: 26; 3: 19; 4: 69
 lateritius 19: 202, 204
 mexicanus 4: 69
 odoratus 4: 69; 19: 110, 117, 201-
 204, 205 (fig.), 368 (fig.)

CAPNODIUM 8: 115, 116, 122, 123,
 131
 citri 8: 109, 111, 119
 coffeae 8: 108, 130
 coffeicola 8: 121
 footii 8: 113

CARIPIA
 montagnei 13: 158; 19: 247, 250

CATASTOMA
 brandegeei 7: 108, 109

CATATHELASHA
 ventricosum 18: 176

CATENOPHYCTIS
 variabilis 13: 210

CATINELLA 4: 78

CAULOGLOSSUM
 transversarium 7: 108, 114

CAULORHIZA 18: 116

CENANGIUM 4: 78

CEPHALOSPORIUM 7: 44, 46 (fig.), 47,
 49, 50; 13: 220; 18: 199
 roseo-griseum 15: 7
 roseum 11: 121

CERACEOMYCES

sublaevis 13: 68
 sulphurinus 15: 25

CERATIOMYXA 4: 77; 13: 207
 fruticulosa 12: 101; 13: 129, 133
 (fig.), 136 (fig.); 15: 202, 204,
 220 (fig.); 16: 96; 18: 57; 19:
 116

morchella 12: 101; 13: 129, 132 (fig.),
138; 16: 96

CERATOBASIDIUM

fibrillosum 7: 93; 9: 87

CERATOCYSTIS 7: 166, 169

adiposa 15: 7
 stenoceras 7: 161, 162 (fig.), 163-
 169

CERCOSPORA 4: 41; 8: 130, 131; 9: 25

boleana 8: 113
 cruenta 8: 123
 difusa 8: 116
 fici 8: 120
 helvola

var. medicaginis 8: 114
 hibiscine 8: 130
 medicaginis 8: 119
 musae 8: 130, 131
 nicotianae 8: 123
 physalidis 8: 96; 8: 116
 sacchari 8: 116

CERCOSPORELLA 8: 126, 131; 9: 19, 21,
 23 (fig.), 24-26, 29, 30

CERIOMYCES

jalapensis 6: 65
 mexicanus 5: 58

CERIOPORUS

montanus 13: 56, 57

CERRENA 4: 79

CERRENELLA

farinacea 5: 58; 9: 87
 ravenellii 5: 58; 9: 87; 19: 247,
 249

CHACONIA

ingae 19: 18, 20, 58 (fig.), 175

CHAETOCALATHUS

lilliputianus 12: 85

CHAETOCLADIUM 12: 66

CHAETONIUM 11: 129; 17: 60
 globosum 11: 121
 indicum 11: 121
 tortile 17: 55, 56, 59, 62, 63
 (fig.), 66; 18: 107

CHAETOSTROMA 8: 116, 131

CHALCIPORUS 18: 16

CHAMAEMYCES

alphytophyllus 6: 65, 75; 2: 94

CHAMONIXIA 18: 14

CHEILYMENIA 4: 78

CHIODECTON 5: 79

sanguineum 12: 99

CHLAMYDOPUS

meyenianus 7: 108; 19: 90

CHLOROCIBORIA

aeruginosa 13: 65; 18: 106

CHLOROPHYLLUM 4: 80

molybdites 4: 51; 6: 65; 7: 133;
8: 73, 74, 79 (fig.), 91 (fig.),
 92, 104, 105; 12: 93; 13: 95, 102,
 107, 115, 122, 124; 18: 178, 230,
 249; 19: 77, 78, 86, 131, 151

CHLOROSPLENIUM 4: 78

aeruginascens 13: 65; 18: 106, 224,
 236; 19: 222, 227
 hypochlora 18: 106

CHONDROSTEREUM 15: 9, 10, 17-19

purpureum 15: 18, 44, 45, 47, 48,
 51 (fig.)

CHRISTIANSENIA 13: 167, 168; 18: 75

mycetophila 13: 167, 168, 169
 (fig.), 170, 171; 18: 71, 73, 74,
 79 (fig.), 83
 mycophaga 13: 168
 pallida 13: 168
 tumefaciens 13: 167, 169 (fig.),
 170, 171; 18: 74, 83

CHROMOCREOPSIS

cubispora 18: 185, 198, 199, 213
 (fig.), 214 (fig.)

CHROODOMPHUS 4: 43

jamaicensis 15: 174
 rutilus 15: 173

CIBORIA

rufo-fusca 18: 184, 186, 210 (fig.),
 211 (fig.)

CIENKOWSKIA 4: 77; 13: 209; 15: 199;

16: 103
 reticulata 15: 199, 203, 212; 16:
 99

CILIARIA 4: 78

CONTRACTIA 8: 131

axicola 8: 128
 clintoni 8: 124
 leucoderma 8: 128
 utriculicola 8: 128

CIONOTHRIX 4: 41

basicrassa 19: 173-176, 178 (fig.)
 praelonga 19: 173, 175, 176, 178
 (fig.)
 usneoides 19: 176

CLADODENDRON 2: 58

CLADODERRIS 2: 58

CLADONIA 3: 15; 17: 167-169, 179

chlorosphaea 12: 99; 17: 169, 170
 (fig.), 171, 173-176, 178, 179
 coniocraea 17: 169, 170 (fig.),
 173, 175, 178, 179
 furcata
 f. rangiformis 5: 108
 ochrochlora 17: 169, 170 (fig.),
 179
 rangiferina 19: 115
 var. abbayesi 12: 99
 squamosa 13: 160
 verticillata 13: 160

CLADOSPORIUM 7: 44, 46, 47, 49, 50;

8: 35, 109, 114-116, 125, 127,
131; 11: 128; 12: 126, 128; 13:
 217-219; 18: 42
 carpophilum 8: 116, 123
 citri 8: 123

- cladosporioides 8: 27, 29, 33-35, 37 (fig.), 39, 43, 46-48; 2: 7; 15: 7
 dendriticum 8: 116
 fulvum 6: 96; 8: 116
 herbarum 5: 13, 17, 19 (fig.), 21; 8: 18, 35, 43, 116, 119, 121, 124; 11: 121; 13: 219
- CLASTODERMA 16: 103
 debaryanum 16: 98
- CLATHRUS 4: 81; 7: 140, 142, 143; 16: 112; 17: 72
 cancellatus 7: 108; 9: 87; 14: 46
 columnatus 4: 31; 14: 39, 46, 47 (fig.); 16: 110, 112
 crispus 4: 31; 7: 108, 122, 135, 138, 140; 12: 97; 13: 97, 102, 115, 124; 14: 46; 16: 110
 ruber 14: 40, 46, 47 (fig.); 16: 110
- CLAVARIA 2: 43; 4: 79; 7: 94
 amethystina 4: 68
 aurea 3: 19; 4: 68
 botrytis 3: 19; 4: 31, 68; 18: 226, 239
 cinerea 4: 68
 flava 4: 68, 69
 formosa 4: 50, 68; 7: 122
 fuscescens 4: 68
 pistillaris 4: 68
 polita 4: 68
 spathulata 14: 52
 species 14: 52
 stricta 4: 69; 18: 226, 239; 19: 161
 truncata 4: 69
 cf. vermicularis 13: 154
- CLAVARIADELPHUS 4: 79; 7: 143; 18: 75
 pistillaris 4: 69; 19: 286
 truncatus 4: 69; 7: 132, 139, 140; 13: 233; 18: 72, 74, 226, 239; 19: 130, 151
- CLAVARULA 15: 96
- CLAVICEPS 8: 131
 purpurea 8: 126; 13: 149
- CLAVICORONA
 pyxidata 13: 80; 18: 226, 239; 19: 111, 320, 322
- CLAVULINA 4: 79
 amethystina 18: 59
 amethystinoides 13: 233
 cinerea 4: 69; 13: 80; 19: 82
 cristata 4: 69; 2: 87; 13: 67, 154; 19: 82
 var. fimbriata 4: 69
 rugosa 13: 80; 18: 59, 226, 239
- CLAVULINOPSIS 4: 79
 corniculata 13: 80; 18: 226, 239
- CLITOCYBE 4: 79; 12: 36, 41, 43; 13: 114; 19: 149
 aurantiaca 6: 65
 clavipes 12: 85; 13: 82, 94, 104, 108, 118, 122; 14: 30; 18: 176; 19: 109, 111, 117
 dealbata 4: 50; 6: 65
 ectypoides 19: 291, 292, 295, 296, 299, 300
 gibba 12: 85; 13: 94, 106, 108, 110 (fig.), 118, 122, 125; 14: 29, 36; 17: 117, 118, 183, 184; 18: 57, 60, 176; 19: 76, 84, 109, 111, 117, 131, 164, 230, 256, 296, 298
 hydrogramma 6: 65, 74
 infundibuliformis 2: 31, 32; 2: 19; 6: 66; 13: 94
 laccata 6: 66, 71; 12: 38
 var. proxima 12: 43
 mexicana 6: 66; 2: 87
 nebularis 12: 85; 13: 94, 104, 118, 122
 niveicolor 6: 66, 69; 2: 87
 proxima 12: 42
 rivulosa 6: 66, 72
 squamulosa 2: 32; 6: 66
 suaveolens 13: 82
- CLITOPILUS
 abortivus 6: 66, 77, 80; 2: 87; 19: 237
 septicoides 6: 66
- CLYMACOCYSTIS 11: 95
- COCCIDIODES
 immitis 12: 131, 133
- CONIOCHAETA
 hanseni 18: 107
 ligniaria 18: 107
- CONIOCYBE
 furfurascens 5: 107
 pallida 5: 107
- CONIOPHORA
 olivacea 4: 63; 2: 87
 roseum 4: 63
- CONIOTHYRIUM 8: 115, 131
 concentricum 8: 110, 115, 120
 diploidella 8: 122
- CONOCYBE 4: 80; 7: 143
 crispa 8: 73, 75, 81 (fig.), 95 (fig.); 100, 104, 105; 18: 115, 123, 124
 filaris 19: 310
 hypnorum 6: 66; 2: 87
 lactea 7: 134, 138, 139, 141, 143; 8: 100; 18: 123, 179; 19: 222, 229, 236
 mazatecorum 4: 31; 6: 66; 2: 87
 rickenii 8: 100
 silligenae 6: 66
 silligenoides 6: 66; 2: 87
 tenera 4: 30; 6: 66, 68; 2: 87; 19: 87, 113
- COOKEINA 4: 78; 7: 139, 142, 143; 17: 33, 41
 colensoi 4: 57; 9: 87; 13: 153
 sulcipes 4: 57; 12: 77; 13: 92, 100, 107, 115, 121, 123, 124; 15: 100; 18: 173; 19: 246, 247
 tricholoma 4: 57; 7: 131, 140; 12: 77; 13: 92, 100, 107, 115, 123, 124, 153; 18: 58; 19: 246, 247
 venezuelae 18: 105, 224, 236
- COPELANDIA 4: 80; 6: 21, 22, 26, 30, 51, 52; 12: 30
 cyanescens 4: 30, 51; 6: 18, 26, 28, 75; 8: 99; 9: 88; 12: 28; 18: 121; 19: 228, 235, 236
 mexicana 12: 27, 28, 29 (fig.), 30; 18: 121
 papilionacea 6: 28
 westii 6: 28
- COPRINUS 4: 80; 7: 143; 10: 13, 22; 17: 76-78, 85, 86; 19: 304
 atramentarius 4: 51; 6: 66; 19: 165
 brassicae 10: 13, 14, 19, 20 (fig.), 22; 17: 78
 comatus 6: 67; 7: 134, 139, 140; 12: 93; 18: 230, 250; 19: 86, 131, 150, 151, 165, 166, 366 (fig.)
 disseminatus 18: 61; 19: 86
 ephemereus 10: 13, 14, 15 (fig.), 16 (fig.); 22: 17; 78
 fimentarius 2: 88
 jalapensis 6: 67; 2: 88
 lagopus 17: 76-79, 83, 86 (fig.), 87
 macrorrhizus 6: 67; 11: 10; 17: 78
 mexicanus 6: 67; 2: 88
 micaceus 6: 67; 12: 93; 13: 96, 104, 113, 118; 18: 61, 230, 250; 19: 165
 narcoticus 10: 13, 16 (fig.), 17, 18 (fig.), 21, 22; 17: 78
 sclerotigenus 17: 76-79, 85, 86 (fig.), 87
- COPROTUS
 dextrinoides 18: 105
 glaucellus 18: 105
 lacteus 18: 105
 luteus 18: 105
 niveus 18: 105
 sexdecimsporus 18: 105
- CORA 2: 16; 5: 79
 pavonia 12: 99; 19: 115
- CORDYCEPS 4: 78; 11: 138, 145, 153; 12: 19, 25; 13: 145, 146, 149, 253-255
 alatorcus 5: 106
 australis 11: 152
 canadensis 4: 56; 11: 145
 capitata 4: 56; 11: 145, 146 (fig.), 147, 150, 151, 153; 13: 146, 149; 18: 58, 172, 224, 236; 19: 110, 119, 286
 carabi 12: 19
 cinerea 12: 19
 entomorrhiza 12: 19, 20 (fig.), 21, 24, 25; 18: 111
 meliolontheae
 var. rickii 11: 147, 149 (fig.), 150, 153; 18: 111
 militaris 11: 147, 148 (fig.), 149, 150, 153; 12: 77; 18: 111, 124, 236; 19: 246, 247

- COENANSIA 12: 66
- COEVOGONIUM
linkii 19: 248, 250
- COKERODIYCES 12: 64
- COLEOSPORIUM 4: 41; 8: 115, 131
anceps 8: 117
asteris 13: 66
dahliae 8: 117; 19: 18, 21, 58
(fig.)
eupatorii 8: 117
hellanthi 8: 117
ipomoeae 8: 117; 16: 119, 120,
125 (fig.), 134, 138 (fig.),
139 (fig.)
mentzeliae 8: 118
papaphysatum 8: 118
plumieriae 8: 117; 19: 18, 21, 62
(fig.)
ribicola 8: 117
solidaginis 8: 117
steviae 8: 117; 16: 117, 119, 120,
125 (fig.), 137, 139 (fig.)
terabinthinaceae 8: 117
vernoniae 8: 117; 19: 18, 22, 62
(fig.)
viburni 8: 117
- COLLEMA 1: 14
- COLLETOTRICHUM 4: 41; 8: 131
agaves 8: 110
falcatum 8: 118, 121, 123-125
gloeosporioides 8: 109, 112, 115,
121-123, 125; 9: 19, 21, 22, 23
(fig.), 26, 29, 30
lindemuthianum 8: 116, 123
luxifium 8: 115
lycopersici 6: 96; 8: 117
trichella 8: 119
trifolii 8: 113, 114
- COLLODERMA 16: 98, 103
pustulatum 16: 98
- COLLYBIA 3: 20; 4: 79; 12: 36; 13:
167, 168, 171; 19: 234
acervata 6: 66; 13: 82
alkalivirens 19: 286
butyracea 9: 146; 12: 85; 13: 94,
107, 108, 118, 122, 167, 168, 170,
171; 18: 60, 74, 176; 19: 111,
117, 131, 151, 164
- confluens 12: 85; 13: 94, 104, 118;
18: 176; 19: 164, 286
distorta 18: 60
dryophila 2: 32; 4: 30; 6: 66, 68;
9: 146; 12: 85; 13: 82, 94, 104,
114, 118, 122, 167, 168, 170, 171;
18: 60, 74, 176; 19: 112, 117, 164,
286, 296, 298, 299
fusipes 2: 32; 4: 50; 6: 66
locephala 13: 159
maculata 12: 85; 13: 94, 104, 118;
17: 116-118; 18: 176; 19: 131, 151
orizabensis 6: 66
peronata 12: 85; 13: 94, 104, 118;
19: 112, 131, 151
platyphylla 6: 66
polyphylla 12: 86; 18: 176; 19: 164,
227, 232
velutipes 6: 66
xuchilensis 6: 66, 68, 69
- COLLYBIDIUM
dryophilum 6: 66
- COLONNARIA 16: 112; 17: 71, 72
columnata 12: 98; 13: 87, 97, 102,
107, 115, 124; 14: 40, 46, 47 (fig.),
48; 16: 110-112; 18: 234, 260
- COLTRICIA 11: 86
cinnamomea 13: 69, 156; 19: 82
perennis 13: 93
schweinitzii 13: 94
spatulata 2: 58
- COLUMNOCYSTIS 15: 28
- COMATRICHA 4: 77; 13: 208; 16: 101,
103
aequalis 15: 210
elegans 15: 98
longa 12: 101; 16: 98
longipila 16: 77, 82, 83, 93, 99
nigra 15: 199, 202, 210, 221 (fig.);
16: 98
putchella 13: 129, 135 (fig.), 137
(fig.), 138; 16: 99
tenerrima 16: 99
typhoides 15: 202, 210, 18: 57
- CONIDIORHOLUS 6: 6
coronatus 6: 6-9; 14: 69, 70, 72-78
major 18: 141-151

- ophioglossoides 4: 56; 11: 145,
146 (fig.), 147, 151, 153; 13:
146, 149; 18: 224, 236; 19: 161
- sinensis 11: 150
- sobolifera 4: 56; 7: 136, 138; 11:
145; 13: 253; 18: 111
- spherocephala 11: 146 (fig.), 150,
152, 153; 18: 111, 172
- stylophora 12: 19, 20 (fig.), 21,
22 (fig.), 24 (fig.), 25
- CORIDELLUS
sepium 2: 58; 9: 88; 11: 35, 41,
51; 13: 156
serialis 2: 58; 9: 88
serpens 13: 156
- CORIOLOPSIS 4: 40, 79; 5: 73; 11:
84
caperata 2: 58, 71; 9: 88; 13: 156
caperatiformis 2: 58; 9: 88
crocata 2: 58, 67; 9: 88
crocatiformis 2: 58
fulvocinerea 4: 40; 5: 58
fumosa 2: 58; 9: 88
gibberulosa 2: 58
occidentalis 4: 40; 5: 58; 9: 88;
13: 93, 156
rigida 2: 58; 9: 88; 11: 35, 41,
51
sarcitiformis 2: 58; 9: 88; 11:
35, 41, 50
scabrosa 13: 156
vittata 2: 58; 9: 88
- CORIOLUS 3: 20; 4: 79; 5: 34, 35;
8: 80; 11: 74
abietinus 5: 58, 66; 9: 88
biformis 5: 58, 70; 13: 69
brachypus 5: 58; 9: 88
conceus 2: 58; 9: 88
cyphelloides 5: 58, 67
hirsutus 5: 58, 67
hirsutus 13: 156
hirtellus 5: 68
hollinckii 5: 58; 9: 88
irpiciformis 5: 59; 9: 88
maximus 5: 59, 69; 9: 88; 13: 156
membranaceus 5: 59; 9: 88; 13: 156
nigromarginatus 5: 59, 68; 9: 89
occidentalis 5: 24, 25
orizabensis 5: 59; 9: 89; 11: 35,
41, 52
pavonius 5: 59; 9: 89; 13: 156
pinitus 2: 59, 71; 13: 156
- prolificans 5: 59, 67, 68; 9: 89
scutatus 5: 59
sector 5: 59; 9: 89; 13: 69
sericeohirsutus 5: 59, 66
subpavonius 5: 59; 9: 89
tepeitensis 2: 59; 9: 89; 11: 35,
41, 52
versicolor 5: 59, 66, 67, 71; 9: 89;
12: 81; 13: 69, 156; 18: 226, 239;
19: 163, 167
xuchilensis 2: 59; 9: 89
- CORTICIUM 8: 125, 131; 15: 9, 10, 20;
18: 166
adhaesum 4: 63
apiculatum 4: 63
armenicum 13: 154
caeruleum 15: 17, 20, 21, 44, 45,
48, 52 (fig.)
ceraceum 4: 63
chrysocreas 4: 63
confluens 4: 63
contractum 4: 64
investiens 4: 64
koleroga 8: 120, 123, 130
lactescens 4: 64; 9: 89
mexicanum 4: 64
murrillii 4: 64; 13: 154
oelliculare 4: 64
pannosum 4: 64
pelluculare 4: 64; 9: 89
portentosum 4: 64; 7: 122
protusum 4: 64; 13: 154
roseum 4: 64
salmonicolor 8: 122
serum 15: 21
sphaerosporum 9: 89
stramineum 4: 64
vellereum 4: 64
- CORTINARIUS 3: 20; 4: 43, 80; 11:
138; 14: 27, 28; 17: 114, 115,
117-119; 18: 166, 230, 251, 252
albiviolaceus 18: 61
caesiocyanus 18: 230, 251
collinitus 12: 94; 13: 84; 18: 230,
251; 19: 288
cortinaeus
f. largusoides 6: 67
elegans 13: 232
evernii 12: 85; 18: 230, 251
lilacinus 13: 232
mellilolens 18: 231, 251
mexicanus 6: 67; 9: 89
purpurascens 6: 67; 12: 94; 18:
230, 252

- sanguineus 4: 51; 13: 85, 232; 18: 231, 252
 semisanguineus 4: 31; 6: 67; 13: 85; 18: 231, 252
 turbinatus 18: 230, 252
 varius 18: 61
 violaceus 4: 31; 6: 67; 13: 85; 18: 230, 252
- CORYNE 4: 78
- CORYNESPORA 17: 33, 35, 36 (fig.), 41
- CORYNETES
 globosus 18: 184, 187, 206 (fig.), 207 (fig.)
- CORYNEUM 8: 131
 bejerinckii 8: 120, 121, 123, 126
 pedunculatum 13: 64
- COTYLIDIA 5: 34, 35; 15: 9, 10, 27, 28
 aurantiaca 5: 25, 28, 34, 35; 12: 80; 13: 92, 100, 115, 158; 15: 28, 29, 30, 44, 45, 47, 48, 58 (fig.); 12: 247
 var. alba f. infundibuliformes 15: 30
 cyphaloides 4: 64; 9: 89; 12: 80
 diaphana 4: 64; 5: 28; 12: 80; 13: 80; 15: 10, 11, 28, 29, 44, 45, 48, 57 (fig.); 18: 225, 238; 19: 286
 undulata 4: 64; 5: 28
- CRATERELLUS 4: 79; 13: 114; 19: 202, 204
 cantherellus 19: 202
 confluens 19: 201, 202
 cornucopioides 12: 81; 13: 93, 104, 113, 118; 14: 29; 18: 226, 239; 19: 110, 118
 lateritius 19: 202, 204
 odoratus 19: 201-204, 205 (fig.)
- CRATERIUM 13: 209; 16: 103
 aurum 16: 100
 leucocephalum 11: 177; 15: 203, 213; 16: 100; 18: 153, 157, 158 (fig.), 163
 minutum 16: 100
 obovatum 12: 116
- CREPIDOTUS 4: 80; 18: 166
 cristulatus 6: 67; 9: 89
 fumosifolius 6: 67, 74; 9: 94
 melachius 6: 67
 var. trichiferus 6: 67
 mollis
 var. mollis 19: 132, 152
 montanus 13: 232
 rainierensis 13: 232
- CRIBBEA 18: 14, 15
- CRIBRARIA 4: 77; 16: 103
 argillaceae 16: 97
 languescens 13: 129, 135 (fig.), 137 (fig.); 139; 16: 97
 lepida 11: 170
 martini 12: 101; 16: 97
 microcarpa 16: 77-79, 92 (fig.), 97
 violacea 11: 170; 15: 202, 206; 16: 97
- CRINELLA
 caliciformis 13: 153
- CRINIPELLIS 4: 79
 echinulata 6: 67
 patouillardii 9: 89
 phylliphila 6: 67; 9: 89
 squamifolia 6: 67
 squamifolius 9: 89
 subdivisus 9: 89
 sublivida 6: 67
 stupparia 6: 67
- CRONARTIUM 2: 50; 8: 131
 coleosporoides 8: 112; 19: 18, 22
 conigenum 2: 50; 8: 125; 12: 78; 18: 173, 225, 238; 19: 18, 23, 58 (fig.), 359 (fig.)
- CRUCIBULUM 4: 81
 laeve 13: 72, 88; 18: 234, 260; 19: 133, 152, 166, 167
 levis 2: 108
 vulgare 2: 108; 9: 89; 19: 90
- CRYPTOCHAETE 15: 10, 20
 rufa 13: 68; 15: 10, 17, 20, 44, 45, 47, 48, 52 (fig.); 19: 163, 167
- CRYPTOCOCCUS
 neoformans 8: 11, 12, 13 (fig.), 14

- CRYPTOMICINA
 pteridis 13: 66
- CRYPTOPORUS
 volvatus 13: 81; 19: 77, 83, 130, 149, 163, 167
- CURVULARIA
 maculans 15: 7
 pallescens 15: 7
- CYATHIA
 hirsuta 2: 108
- CYATHICULA
 coronata 18: 184, 187, 213 (fig.)
- CYATHUS 4: 81; 7: 122; 8: 127, 131
 berkeleyanus 12: 98
 crucibulum 5: 106
 intermedius 7: 122
 leseurii 7: 122
 limbatus 12: 98
 melanospermus 7: 122
 montagnei 7: 108
 olla 5: 106; 7: 108; 18: 234, 260; 19: 73, 90, 248, 250
 setosus 12: 98
 stercoreus 4: 30; 7: 109, 135, 139, 140; 9: 89; 12: 98; 13: 159, 234; 18: 62, 234, 260
 striatus 5: 106; 7: 108; 18: 234, 260
 subiculosus 7: 109
 vernicosus 7: 109
- CYCLOMYCES 4: 79
 iodinus 13: 156
 tabacinus 13: 156
- CYCLOPORELLUS 4: 79
 iodinus 5: 59; 9: 89
- CYLINDROBASIDIUM
 evolvens 13: 68
- CYLINDROSPORIUM 8: 126, 131
- CYMATODERMA 7: 139, 142, 143; 17: 149, 151, 154-156
 caperatum 7: 131, 136, 138, 140, 143; 12: 80; 13: 158; 17: 149, 151, 154-156; 18: 174, 225, 238
 dendriticum 4: 64; 12: 80; 13: 91, 92, 100, 115, 123, 158; 15: 10

fuscum 8: 73, 74, 76, 77 (fig.), 104, 105

CYPHELIUM
 chlovellum 5: 107
 melanophalum 5: 107
 olivrycephalum 5: 107

CYPHELLA 18: 13, 15

CYPHELLOPSIS
 anomala 13: 70

CYSTODERMA 18: 15; 19: 222
 amianthinum 18: 230, 249; 19: 111, 165
 cinnabarinum 18: 230, 249
 fallax 18: 230, 249; 19: 288
 ferruginosum 19: 221, 222, 228, 235, 241 (fig.)
 granuloseum 5: 67; 9: 89

CYTIDIA
 salicina 13: 68

DACRYMYCES 4: 79
 deliquescens 4: 60; 7: 93; 9: 90; 19: 82
 var. ellisii 7: 93; 12: 79
 dictyosporus 4: 60; 7: 91; 9: 90; 12: 79; 13: 212
 ellisii 4: 60; 9: 89
 palmatus 4: 60; 7: 91; 9: 90; 13: 212; 18: 225, 237; 19: 82
 punctiformis 4: 60; 7: 93; 9: 90; 13: 210, 213; 18: 225, 237
 spathularia 4: 60

DACRYOPINAX 4: 79; 7: 139
 elegans 4: 60; 7: 93; 9: 90; 12: 79; 12: 92, 101, 109, 115, 123, 213
 spathularia 4: 60; 7: 91, 122, 131, 136; 9: 90; 12: 79; 13: 92, 101, 109, 110 (fig.), 115, 123, 213; 18: 174; 19: 247

DACTYLARIA
 leptospora 17: 102

DACTYLELLA
 cianopaga 17: 101

DAEDALEA 4: 40, 79; 5: 34, 35, 58;
7: 139; 11: 97, 98
amanitoides 5: 59; 2: 90
ambigua 5: 59
berkeleyi 4: 40
confragosa 5: 59, 60, 65; 18: 59;
19: 65-71
elegans 5: 24, 25, 59, 65; 7: 122,
132, 140; 8: 74, 77 (fig.), 78;
2: 90; 11: 41, 43, 44, 52, 53 (fig.);
12: 82; 13: 93, 100, 107, 115, 123,
124, 156; 18: 54-56, 59, 226, 240;
19: 247, 249
favoloides 5: 59; 2: 90
microsticta 5: 59
mollis 5: 60, 73
quercina 5: 60; 2: 122; 12: 82;
19: 161
rapanda 5: 59
sprucei 5: 60, 66
striata 4: 40
tricolor 5: 59, 60
unicolor 13: 239, 240 (fig.), 241,
242; 18: 59

DAEDALEOPSIS 4: 79

DALDINIA 4: 78; 7: 51, 53, 56 (fig.),
58, 96, 139, 142, 143; 18: 29
backerii 7: 51, 53, 58
clavata 4: 55; 7: 51, 53, 58
concentrica 4: 55; 7: 51, 52 (fig.),
53, 54, 56 (fig.), 58, 131, 140;
12: 76; 13: 91, 101, 110 (fig.),
113, 115, 123; 18: 58, 172, 223,
235; 19: 247, 248
eschoizii 7: 51, 53, 58
gallani 18: 107
loculata 7: 51, 52 (fig.), 53-55,
56 (fig.), 58; 12: 76; 18: 107
murrillii 7: 51
simulans 7: 51, 53, 55, 56, 58;
18: 107
vernica 7: 51, 52 (fig.), 53,
55, 56 (fig.), 58; 12: 76; 13: 79;
18: 58, 107, 172, 223, 235; 19:
161

DARLUCA
filum 4: 41; 16: 123; 19: 34, 40,
43, 44, 46, 51

DASYSCYPHA
corticalis 4: 57; 2: 90
subcorticalis 12: 76

DASYSCYPHELLA
corticalis 18: 189
schrpteriana 18: 189

DASYSCYPHUS
brasiliensis 18: 184, 188, 209 (fig.)
calosporus 13: 152; 18: 107
cerinus 18: 184, 188, 189, 208 (fig.),
209 (fig.)
corticola 18: 184, 189, 210 (fig.)
varians
var. pteridophyllus 18: 107
variegatus 18: 107
virginus 18: 184, 189, 190, 209
(fig.), 210 (fig.)

DASYSPORA
gregaria 19: 175

DECONICA 11: 24
bullacea 6: 67, 78; 2: 97; 11: 29

DEIGLORIA 18: 13, 15

DELITSCHIA
patagonica 18: 111

DEMATOPHORA 8: 132
necatrix 8: 113, 114, 122, 123, 125

DENDROCHAETE 11: 54

DENDROCORTICIUM 15: 10, 22, 23
roseocarneum 15: 17, 22, 23, 44-48,
54 (fig.)

DENDROPHAGUS
colossus 5: 60, 73

DENDROTHELE
nivosa 13: 68

DERMATOCARPON 5: 79, 103
hepaticum 5: 84
lachneum 5: 84
miniatum 5: 84, 103
var. canum 5: 84
var. complicatum 5: 84
var. mühlenbergii 5: 84
moulinii 5: 84, 103

DERMOCYBE
cinnabarina 18: 61
cinnamomea 18: 61

DIACHEA 13: 208; 16: 103
bulbiflora 13: 129, 137 (fig.),
139; 16: 98
leucopodia 13: 129, 130 (fig.),
132 (fig.), 137 (fig.), 139; 15:
202, 211; 16: 98
radiata 16: 98

DIANEMA 11: 172, 173 (fig.), 174,
180; 16: 97, 103
repens 11: 172
corticatum 11: 174

DIAPORTHE
macrospora 4: 55; 2: 90

DIATRYPE
stigma 13: 65

DICTYDIAETHALIUM 13: 207; 15: 199;
16: 103
plumbeum 15: 199, 202, 204; 16: 97

DICTYDIUM 4: 77; 13: 208; 16: 103
cancellatum 13: 129, 132 (fig.),
133 (fig.), 135 (fig.), 140; 15:
202, 206; 16: 97; 19: 116

DICTYOPANUS
pusillus 6: 67; 12: 86; 13: 210;
18: 176
var. rhipidium 6: 67; 19: 112,
248
rhipidium 6: 67

DICTYOPHORA
duplicata 19: 125, 132, 148-150,
152, 239
indusiata 7: 109; 12: 98; 13: 97,
100, 112 (fig.), 115; 14: 40, 41
(fig.); 16: 110; 19: 149, 150,
157 (fig.), 208, 209, 230, 239,
248, 250
f. rosea 7: 109
phalloides 7: 109

DICTYOSTELIUM
mucoroides 17: 55, 56, 59, 64, 65
(fig.), 66

DICTYUCHUS 17: 210
monosporus 17: 208-210

DIDERMA 13: 209; 16: 101, 103
asteroides 15: 199, 203, 217; 16:
100

chondrioderma 11: 179; 16: 101
crustaceum 16: 86 (fig.), 88, 100
effusum 16: 101
hemisphaericum 11: 179; 12: 101;
15: 203, 217; 16: 101
nigripes 16: 91 (fig.)
niveum 16: 101
spumarioides 16: 101
testaceum 16: 101

DIDYMARIA 8: 126, 132

DIDYMIUM 4: 77; 13: 209; 16: 101, 103
anellus 16: 101
clavus 11: 178; 16: 101
crustaceum 16: 101
difforme 11: 178; 16: 101
iris 11: 178; 15: 203, 218; 16:
101; 18: 161, 162 (fig.), 163; 19:
116
leonium 15: 219; 16: 101; 18: 153,
161, 162 (fig.), 163
megalosporum 16: 101
melanospermum 11: 178; 16: 86, 89,
91 (fig.), 101
minus 16: 101
nigripes 16: 86 (fig.), 101
squamosum 16: 101
vaccinum 15: 199, 203, 218; 16: 101

DIMARGARIS 17: 66

DIMEROSPORIUM 8: 132
agavectona 8: 126

DIPLOCYSTIS 6: 55, 59; 8: 54
guadeloupensis 6: 58
junodii 6: 55
wrightii 6: 55, 56, 58, 59; 7: 109;
8: 54

DIPLODIA 8: 132
zeae 8: 121, 122; 10: 72, 74-77

DIPORICELLAESPORITES 12: 33-35, 36
(fig.), 41

DIPORISPORITES 12: 33-35, 36 (fig.),
41

DISCISEDA 7: 109
bovista 7: 109; 18: 233, 259
brandegei 7: 108, 109
hollosiana 7: 109
muelleri 7: 109
subterranea 7: 109

DISCOXYLARIA 8: 49, 51
 mimocophila 8: 50 (fig.), 51; 13:
 235; 18: 107

DISPIRA 17: 66

DITIOLA
 nuda 4: 60
 radicata 7: 93; 2: 90; 13: 79; 18:
 225

DORATOMYCES
 stemonites 17: 105

DOTHICLOE 8: 132
 limitata 8: 128

DOTHIDELLA
 castanopsisidis 13: 66

DOTHIORELLA 17: 33-35, 36 (fig.), 41

DROSOPHILA 7: 29; 8: 98
 appendiculata 6: 67, 77
 jalapensis 6: 67, 77; 2: 97
 tepeltensis 6: 67, 78
 truncatispora 6: 67, 78; 2: 97

DRYODON 4: 79

DUCTIFERA 4: 79
 putulahuana 4: 61; 7: 91; 2: 90;
 13: 213

DYADOSPORITES 17: 33, 34, 36 (fig.),
 37, 41

EARLIELLA 4: 79
 corrugata 2: 60; 2: 90
 cubensis 2: 60

ECCILIA
 atrides 6: 67, 80
 mexicana 6: 67

ECHINOCHAETE 11: 38, 97, 98
 megalopora 11: 36, 41, 43, 44, 52,
 53 (fig.); 97, 98; 19: 320, 323

ECHINODONTIUM
 tinctorium 18: 226, 239

ECHINOSTELIUM 16: 97, 103
 arboreum 11: 168, 171; 16: 97
 minutum 11: 171; 15: 202, 207, 220
 (fig.); 16: 97

EICHLERIELLA 7: 139
 alliciensis 7: 93; 2: 90
 leveilliana 4: 61; 7: 91, 131; 18:
 174
 macrospora 7: 93; 2: 90; 18: 174
 mexicana 4: 61; 7: 93
 spinulosa 4: 61; 7: 93; 2: 90

ELAPHOMYCES 4: 78; 13: 145, 146, 148-
 150
 granulatus 4: 55; 11: 145, 146 (fig.),
 147, 151; 13: 145, 146, 147 (fig.),
 148, 149; 14: 29, 37; 17: 116; 19:
 110, 119, 284, 286
 muricatus 14: 29, 37
 f. muricatus 13: 145, 146, 147 (fig.),
 148, 149; 18: 104
 f. variegatus 13: 145, 146, 148, 149
 reticulatus 11: 145, 151; 13: 145,
 146, 147 (fig.), 148, 149; 18: 104,
 225, 237
 variegatus 4: 55; 11: 145, 146; 13:
 146

ELASHOMYCES 18: 14

ELFVINGIA 11: 64
 fasciata 2: 60, 63; 2: 90
 lobata 2: 144
 tornata 2: 60, 62; 2: 90; 11: 64

ELSINOE 8: 132
 canavaliae 8: 129

ELVELA 14: 52
 clavata 14: 52

ENCDELIA 4: 41

ENDOGONE 4: 42; 17: 115
 fulvus 17: 116

ENDOPHYLLUM
 circumscriptum 19: 173, 175, 176
 var. circumscriptum 19: 173, 175,
 176

ENDOPTYCHUM 19: 150
 arizonicum 7: 109, 122; 19: 132, 152
 depressum 7: 109, 123

ENERTHEMMA 4: 77; 13: 208

ENGLERULA 8: 132
 mexicana 8: 118

ENTERIDIUM 4: 77; 13: 207
 lycoperdon 18: 153, 154, 156 (fig.),
 163; 19: 116-118

ENTOLOMA
 albidum 2: 65, 66
 clypeatus 19: 296
 coelestinum 16: 55
 howellii 16: 54
 madidum 6: 67
 megacystidiosum 2: 65, 66
 mexicana 6: 67, 73
 mexicanum 6: 67
 sericatum 13: 232
 subcaeruleum 6: 67

ENTOMOPHTHORA 6: 5
 coronata 6: 5-7; 11: 140; 14: 69,
 70
 delphacis 14: 70
 major 14: 70

ENTOMOSPORIUM 8: 132
 maculatum 8: 108, 123

EPICOCCUM 5: 13; 8: 18; 13: 218

EPIDERMOPHYTON 18: 96
 floccosum 18: 23-25, 95, 96, 98-10

ERINELLA
 similina 4: 57; 2: 90

ERIONEMA 4: 77

ERYNIA
 neophidis 18: 141, 142, 144-151

ERYSIPHE 8: 121, 122, 132; 11: 158,
 161, 162; 19: 194
 cichoracearum 8: 121-123; 11: 156;
 13: 65
 communis 6: 96; 8: 117, 127; 11:
 156
 gaminis 11: 156
 polygoni 6: 95; 8: 113, 114, 120,
 122, 123; 11: 157, 162
 taurica 11: 157
 tuckeri 8: 112, 113; 11: 158

EUPANAEOLUS 6: 21

EVERNIA 5: 79, 85, 103; 10: 28, 64
 furfuracea
 var. intensa 10: 70
 mesomorpha 5: 85, 103; 10: 27, 29, 30,
 32, 34, 35; 19: 109
 vulpina 5: 85

EVERNIASTRUM
 cirrhatum 17: 171
 lipidiferum 17: 169, 179
 peruvianum 17: 171, 172, 174-176,
 178, 179

EXESISPORITES 17: 33, 36 (fig.)

EXIDIA 4: 79; 13: 223
 glandulosa 2: 90; 13: 67
 mexicana 4: 61; 7: 93; 2: 90; 13:
 223
 nucleata 4: 61; 7: 92; 2: 90; 13:
 67, 213
 reclisa 7: 92; 2: 90; 18: 225, 238;
 19: 110
 repanda 13: 67

EXOASCUS 8: 132
 deformans 8: 122, 123

EXOBASIDIUM 4: 41
 mycetophilum 13: 169
 vaccini 13: 67

FAVOLASCHIA 19: 222
 filipes 19: 221, 228, 232, 240 (fig.)

FAVOLUS 4: 79; 5: 34, 35; 7: 139, 140;
 2: 92; 11: 49, 54, 97, 98
 alveolaris 11: 38, 41, 43, 50, 54,
 97, 98; 18: 226, 240; 19: 163, 167
 annosus 18: 226, 240
 brasiliensis 5: 24, 25, 60; 7: 132-
 140; 2: 92; 11: 41, 50, 54; 12: 82;
 13: 78, 81, 93, 103, 108, 109, 114,
 115, 118, 122, 123, 156; 18: 55, 59,
 226, 240; 19: 65-71, 247, 249
 flacidus 5: 60, 65
 friesii 5: 60
 leprosus 5: 60; 2: 91
 reniformis 2: 91; 11: 38, 41, 50, 54,
 97, 98
 rhipidium 5: 60; 6: 67; 2: 91
 subcaperatus 13: 156

sulphureus 2: 92
 tenuiformis 5: 60
 tenuis 5: 60, 64; 9: 91
 variegatus 5: 60, 64
 FISTULINA 4: 79; 8: 59; 11: 56, 97, 98
 brasiliensis 5: 57; 9: 91; 11: 56; 13: 93
 guzmanii 11: 40, 41, 43, 51 (fig.), 55; 18: 175; 19: 227, 230, 231
 hepatica 11: 56; 19: 231
 radicata 5: 57; 11: 56; 18: 175
 FISTULINELLA 8: 53, 54, 56, 58, 59, 60 (fig.), 61-63; 16: 112; 18: 13, 15
 major 8: 57, 59-63
 mexicana 8: 54, 55 (fig.), 56, 57, 59-63
 minor 8: 57, 59-63
 staudtii 8: 54, 57-63
 LABELLARIA 2: 58
 FLAMMULA 4: 79
 jalapensis 4: 25; 6: 67, 76
 FLAMMULINA
 velutipes 6: 66, 67; 12: 86; 13: 94, 105, 113, 118, 122, 123; 19: 112, 117, 164, 167, 209
 FLAVIPORELLUS
 splitgerberi 5: 60, 70
 FLAVIPORUS
 rufoflavus 5: 60
 FOMES 2: 26, 38; 3: 20; 4: 40, 79; 5: 63, 66; 11: 40, 44, 60, 64; 97, 98; 13: 121; 18: 199; 19: 240
 allardii 5: 60
 annosus 5: 60; 11: 41, 42, 45, 56; 15: 22, 47
 applanatus 5: 60, 62
 auberianus 5: 60; 9: 91
 badius 5: 60; 9: 145
 cajanderi 5: 60; 15: 71
 conchatus 5: 60; 11: 40-42, 45, 56, 57 (fig.)
 connatus 5: 60
 demidoffii 5: 60
 dependens 5: 61
 dochmius 15: 71
 everhartii 5: 61
 extensus 5: 61, 72; 11: 40-42, 45, 57 (fig.), 58
 fasciatus 13: 156
 fastuosus 5: 61; 11: 40-43, 46, 57 (fig.), 58; 19: 77, 83
 feei 5: 61, 67; 9: 91; 12: 82; 15: 71
 fomentarius 5: 61, 67
 fraxineus 15: 71
 geotropus 5: 61; 9: 91; 19: 68
 hemileucus 15: 71
 igniarius 5: 61, 72; 7: 123, 136; 9: 145
 leucophaeus 5: 61, 62
 linteus 5: 61, 73; 7: 123
 lobatus 9: 144
 lucidum 7: 123
 melanoporus 5: 61
 microporus 5: 61
 nobilissimus 5: 61
 ohioensis 5: 61; 9: 91
 pectinatus 5: 61; 7: 123; 12: 82
 pini 5: 61; 11: 41, 45, 59; 18: 226, 240
 pinicola 5: 61, 74; 7: 123; 9: 57; 11: 40-42, 45, 51 (fig.); 12: 182; 13: 93, 105, 118, 123; 18: 59, 226, 240; 19: 111, 124 (fig.), 161
 pomaceus 5: 61
 portoricensis 5: 61
 pseudosenex 5: 63, 72
 regulatus 5: 63
 rimosus 5: 63; 11: 41, 60; 18: 226, 240; 19: 78, 83
 robiniae 5: 63; 9: 91; 11: 38, 40, 43, 46, 60, 61, 62 (fig.), 97, 98
 robustus 5: 63; 9: 91; 11: 41, 46, 61, 62 (fig.); 13: 81; 19: 78, 130, 151
 roseus 5: 63; 9: 91; 11: 41, 42, 61, 79; 15: 71; 19: 161, 247, 249
 rubritinctus 12: 82; 15: 71; 18: 226, 240
 sagreanus 5: 63; 9: 91; 11: 35, 41, 62; 15: 67-70, 71, 96, 97, 99, 102 (fig.)
 sanjanii 5: 63
 sarcitus 5: 63
 sclerodermeus 5: 60, 63; 12: 82; 13: 93, 100, 115, 123; 18: 226, 240; 19: 247, 249
 scutellatus 5: 63; 9: 91
 senex 5: 63, 73
 sublinteus 5: 63, 73
 sulcatus 5: 63
 swietaeniae 5: 63; 12: 82

tenuis 11: 63
 ulmarius 5: 63; 12: 82; 13: 93, 100, 115, 123
 unguatus 9: 91; 11: 60
 viticola 5: 63; 11: 41, 42, 46, 62 (fig.), 63
 weirianus 5: 63
 yucatanensis 5: 63, 73
 FOMITELLA
 fumosa-avellanea 5: 63; 9: 91; 11: 35, 41
 supina 5: 63; 9: 91; 11: 63
 FOMITOPORIA
 obliquiformis 5: 63; 9: 91; 11: 41, 63
 FOMITOPSIS 4: 79; 11: 60
 cajanderi 13: 69
 pinicola 13: 93
 sulcata 4: 41
 supina 13: 156
 FROMMEA 8: 129, 132
 FULIGO 4: 77; 13: 208; 16: 103
 cinerea 16: 99
 intermedia 15: 199, 203, 213; 16: 100
 megaspora 15: 199, 203, 213, 222 (fig.); 16: 100
 septica 12: 101; 13: 160; 15: 203, 214, 219; 16: 100; 18: 57; 19: 116-118
 FUNALIA 5: 58
 villosa 5: 62; 9: 91; 13: 156
 FUNGODIA 8: 108, 110, 132
 tuckeri 8: 110
 FUNGRAPHIDA 8: 132
 phoenicis 8: 108
 FUSARIELLA 14: 110
 FUSARIUM 5: 48; 6: 96; 7: 44, 45 (fig.), 46-50; 8: 115, 118, 122, 124-127, 130, 132; 9: 19, 21, 24, 26, 29, 30, 124-126, 128; 11: 128, 133; 14: 101, 110; 17: 68; 18: 33, 37, 39, 42
 annum 8: 121, 128
 cubense 8: 120, 128
 culmorum 8: 114; 12: 118

gemmiperda 8: 114
 graminearum 12: 118, 122; 13: 247; 14: 102
 heterosporum 8: 114
 lini 8: 114
 lycopersici 6: 96; 8: 117, 119, 120, 123
 moniliforme 8: 27, 29, 30 (fig.), 46, 47, 120, 123; 10: 72, 74-77; 11: 121
 niveum 8: 123
 oxysporum 6: 95; 8: 114, 130; 14: 107, 108, 109 (fig.), 110
 var. conglutinans 14: 108
 phaseoli 8: 123
 putrefasciens 8: 114
 rhizogenum 8: 114
 roseum 8: 113; 11: 128, 133
 sarcochorum 8: 114
 solani 8: 119
 tracheiphylum 8: 122
 tricinatum 11: 128, 133
 tritici 8: 114
 vasinfectum 8: 121
 FUSCOPORELLA
 mexicana 5: 62, 72
 FUSCOPORIA
 carbonaria 5: 62; 9: 91; 11: 35, 41, 63
 ferruginosa 5: 62; 9: 91
 umbrinella 5: 62
 FUSICLADIUM 8: 132
 dendriticum 8: 108, 119, 122, 123
 FUSIFORMISPORITES 17: 33, 36 (fig.), 37, 41
 FUSISPORIUM 8: 132
 limonii 8: 110
 solani 8: 111
 GALACTINIA 4: 78
 GALERINA 4: 80
 atkinsoniana 6: 68
 automnalis 19: 310
 badipes 6: 68; 9: 91
 bryophilla 6: 68, 76; 9: 91
 dimorphocystis 6: 68; 9: 91
 var. nexapensis 6: 68
 fasciculata 19: 310
 hepaticola 6: 68, 74

- heterocystis 6: 68
 latispora 6: 68
 var. mexicana 6: 68; 2: 91
 marginata 19: 310
 mexicana 6: 68
 reflexa 6: 68
 unicolor 6: 68, 71; 2: 91
 venenata 19: 310
- GALEROPSIS 18: 15
- GALERULA
 distantifolia 6: 68, 74
 hypni 6: 68
 mexicana 6: 66, 68
 reflexa 6: 68
- GALIELLA
 rufa 13: 65
- GANDERMA 4: 40, 41, 79; 5: 34, 35;
 7: 139; 11: 40, 44, 97, 98; 13:
 121
 applanatum 5: 24, 60-62; 8: 74,
 78, 86 (fig.); 9: 143, 144; 11:
 38, 40, 41, 46, 62-64, 98; 12:
 82; 13: 81, 93, 103, 109; 18: 55,
 59, 226, 240; 19: 111, 118
 areolatum 5: 62; 2: 91
 australe 5: 62
 brownii 5: 62; 12: 82; 18: 226, 240
 colossus 5: 62; 12: 82; 13: 93, 102,
 115, 123
 curtisii 5: 62, 67; 7: 132, 136,
 140; 9: 91; 11: 40, 41, 43, 46,
 62 (fig.); 64, 65, 66 (fig.); 67;
 12: 82; 13: 81, 105, 114; 18: 226,
 240; 19: 78, 84
 lobatum 5: 62; 9: 141 (fig.); 142
 (fig.); 143-147; 13: 155; 18: 55,
 59, 226, 240; 19: 130, 131, 163,
 167
 lucidum 9: 144, 145; 11: 40, 41,
 43, 46, 65, 66 (fig.); 67, 79; 12:
 82; 13: 155; 19: 131, 151, 171
 mexicana 5: 62
 oregonensis 5: 62
 sessile 19: 77, 84, 111, 163, 167,
 171
 sessiliforme 5: 62; 2: 82; 11: 35,
 41, 67
 subincrustatum 5: 62; 2: 92; 11:
 35, 41, 67
 tsugae 13: 69; 18: 226, 240; 19:
 161
- GASTROBOLETUS 18: 15
 turbinatus 6: 65, 68; 7: 109
 var. turbinatus 6: 68; 7: 109
- GAUTIERIA 18: 14
 chilensis 7: 109
 graveolens 7: 123
 var. mexicana 7: 109
 mexicana 7: 109
 morchellaeformis 7: 110
- GASTRUM 4: 81; 7: 110, 136, 143; 8: 65
 caespitosum 8: 65
 caespitum 7: 110
 coronatum 7: 110
 drummondii 7: 110
 fimbriatum 7: 110; 18: 62, 233, 257
 floriforme 7: 110; 19: 133, 152
 fornicatum 19: 89
 hieronymi 7: 110
 lignicola 8: 65
 limbatum 7: 110
 michelianum 7: 110
 minimum 7: 110
 mirabile 8: 65, 66 (fig.), 67 (fig.),
 68, 69
 pectinatum 7: 110
 quadrifidum 7: 110; 18: 233, 257;
 19: 89
 rufescens 7: 110, 123
 seccatum 7: 110, 123, 135, 136, 141;
 9: 92; 13: 97, 101, 109, 115, 159,
 234, 235; 18: 62, 233, 257; 19: 114,
 161, 298
 subiculosum 8: 68
 triplex 7: 110, 135, 139, 140; 13:
 88, 97, 107, 108, 118, 125, 234;
 18: 233, 257; 19: 89, 114
 velutinum 7: 111; 18: 233, 257, 258
 vulgatum 7: 111
- GELASINOSPORA
 seminuda 17: 55, 56, 59, 65 (fig.),
 70; 18: 107
- GENEA
 asperula 18: 106
- GEOGLOSSUM 18: 196
 glabrum
 var. americanum 18: 184, 190, 205
 (fig.), 206 (fig.)
 glutinosum 18: 184, 190, 191, 216
 (fig.)
 nigritum 18: 184, 191, 216 (fig.)

GEOLEGNIA
 septisporangia 17: 208, 210

GEOPETALUM
 subhaedinum 6: 68

GEOPORA
 cooperi
 f. cooperi 18: 105, 185, 196,
 205 (fig.)

GETRICHUM 18: 42
 candidum 5: 13, 14, 18, 20, 21;
 8: 18, 33-35, 36 (fig.); 39, 43,
 46, 47; 9: 7; 10: 79-82; 15: 5,
 7; 18: 25

GERRONEA 4: 79; 9: 92
 icterinum 6: 68
 subchrysophyllum 6: 68; 9: 92
 strombodes 12: 86
 theophilli 12: 86

GERMASIA
 rubi 14: 82, 83, 87 (fig.), 93
 (fig.); 19: 175

GIBBERELLA 14: 110

GIGASPOA
 calospora 13: 47-50, 51 (fig.), 52
 gigantea 13: 47-50, 51 (fig.), 52

GLOECYSTIDIUM
 lividum 13: 68

GLOEPHYLLUM 4: 79
 berkeleyi 5: 62; 9: 92
 hirsutum 5: 62, 65; 9: 92; 11: 72
 saepiaria 9: 92
 saepiarum 5: 64, 65; 13: 69, 93
 sessiliforme 5: 64
 striatum 2: 64, 65; 9: 92; 13: 93,
 156
 trabeiforme 5: 64; 9: 92

GLOCLADIUM 7: 44, 46 (fig.), 47,
 49, 50

GLOEOPORUS 11: 75
 conchoides 13: 157
 dichrous 19: 163, 167

GLOESPORIUM 4: 41; 8: 115, 119,
 124, 127, 132
 ampelophagnum 8: 122

fructigenum 8: 108, 109, 119, 121,
 123
 musarum 8: 123
 phomoides 6: 96; 8: 117
 psidii 8: 109, 110, 114, 120-122, 125,
 128
 yuccigenum 8: 122

GLOIOCEPHALA 15: 81
 spathularia 15: 67, 68, 79, 80, 81,
 96, 97, 99, 105 (fig.), 106 (fig.)

GLOMERELLA 4: 41; 8: 115, 132
 cingulata 8: 116, 119-123
 rufomaculans 8: 117, 126

GLOMUS 17: 115
 fasciculatus 13: 47-50, 51 (fig.), 52
 fulvus 17: 116
 macrocarpus
 var. geosporum 18: 223, 235
 mosseae 13: 47-50, 52; 18: 223, 235

GOMPHIDIUS 4: 80; 15: 121, 122, 192
 glutinosus 13: 232; 15: 127, 129,
 130, 172, 188 (fig.), 193 (fig.);
 18: 231, 254
 rutillus 2: 26; 6: 68; 12: 94; 15:
 122, 127, 129, 130, 172, 175, 189
 (fig.); 194 (fig.); 18: 180, 254;
 19: 113, 117
 subroseus 19: 87
 vinicolor 15: 173
 var. jamaicensis 15: 127, 129, 130,
 172, 174, 190 (fig.), 194 (fig.)
 viscidus 6: 68

GOMPHUS 4: 79; 13: 114
 bonarii 13: 68
 clavatus 18: 226, 239
 floccosus 4: 69, 70; 12: 81; 13: 93,
 107, 108, 118, 121, 122, 125, 233;
 14: 29, 36; 18: 59, 219, 226, 239;
 19: 76, 82, 110, 117, 118, 256

GRAMATIPORITES 17: 40

GRAPHIS
 herpetica 5: 107
 involuta 5: 107
 pulverula 5: 107
 scripta 5: 107, 108; 12: 99; 13: 160

GRIFOLA 4: 79; 2: 57, 58
 berkeleyi 13: 57, 58
 frondosa 9: 58
 lentifrondosa 5: 64; 9: 92
 umbellata 9: 58